



Meet Clip M Series

The thermal imaging camera Clip M Series is one of the most affordable Clip-on type cameras in the market. It is very compact and easy to use as an attachment together with day scopes. NO RE-ZEROING is required when attaching to the day scope. It also can be used as a professional portable monocular. Small body but with powerful ability.



Clip on thermal rifle scopes are truly versatile thermal imaging scopes that give you increased options and functionality. Whether you are looking to use it as a dedicated thermal scope or clipped on in front of your day optics for increased thermal imaging zoom capability, these scopes can easily accommodate your needs. Our clip on's fit any Picatinny rail mount in seconds, and there's no need to re-zero. So if you're in the hunting realm, you can switch to your favorite aiming method with ease. These scopes need absolutely no light to function, so you can literally turn any day scope into a night vision scope with a simple throw lever mount. Now you can see your targets any time of day or night making it a truly robust aiming system.

- **High Image Quality**

The high performance InfiRay Vox detector and the advanced image processing create brilliant and sharp images.

- **Ultraclear Mode**

Built-in Ultraclear mode made for bad weather such as heavy fog and rain. It will be more sensitive and get more details. All these are to present the best use effect and experience to the user.

- **AMOLED Micro Display**

High contrast AMOLED micro display with HD resolution offers sharp image and vivid colors. Display ensures excellent image quality and flawless performance even in freezing temperatures.

- **Friendly Operation**

All function can be controlled by one key, which makes the operations easy and quick.



- **Compact Size and Lightweight**

Compact size and lightweight design do not influence the balance of the rifle significantly.



- **No Rezeroing and Quick Attached**

With the special calibration to the camera, no rezeroing is required after attaching to the day scope. The front-mounted thermal attachment allows consistent shooting position and eye relief with an existing day riflescope after zeroing for the first time. Clip and Shoot, that's it.

- **Familiar Precision**

Front-mounted allows consistent shooting position and eye relief with an existing day riflescope. Original design and precision technology ensure POI stability when attachment is in use. Users

do not need to make any correction to position of day rifle scope's reticle when mounting Clip camera.

- **Quick Transformation**

Clip M Series is a dual-use camera, since it can be used as a thermal monocular for searching, or as an attachment of day rifle scope for shooting with quick transformation.

- **Rotary Lens Cap, Accidental Touch Prevention Design**

The most noticeable is the rotary lens cap which is designed with self-locking structure to prevent accidental touch (it happens, believe me), yet still compact and easy to operate.

Beyond that, because of the great design, there are many choices of the battery, such as CR123A, 16340. The battery 16650 also can be used with the adapter which will provide longer operating time.

- **Built-in Accelerometer And Digital Compass**

Built-in accelerometer and digital compass improve accuracy by precisely identifying cant and angles. The Clip M series can indicate the direction and degree of lateral tilting.

Your Wise Choose With Clip M Series

Model	CML25
Resolution, pixels	384x288
Pixel Size, μm	17
NETD, mk	≤ 40
Frame Rate, Hz	50
Objective Lens, mm	25
Field of View	$14.9^{\circ} \times 11.2^{\circ}$
Display, pixels	1024x768 OLED
Magnification, \times	1
Battery	CR123 (3.7V)/16650
Max. Battery Life	CR123 (3.7V) -up to 1.5h 16650-up to 4h
Weight (without batteries), g	< 290
Dimension, mm	125x70x48
Mount	M30x1.0
Detection Range, m (Target size: 1.7m x 0.5m, P(n)=99%)	916

Product consulting

* Message contents :

Mobile phone :

* Country :

* Product :

E-mail :

Submit

CONTACT US

Marketing Dept.Email:sales@infiray.com

HR Email:hr01@infiray.com

Sales Hotline:[+86-400-998-3088](tel:+86-400-998-3088)

After sales hotline:[+86-400-883-0800](tel:+86-400-883-0800)

Address:11th Guiyang Street, YEDA,Yantai 264006,P.R.China

IMAGERS

[Thermal Monocular](#)

[Phone Thermal Camera](#)

[Car Thermal Camera](#)

[Clip on Thermal Scope](#)

[Rico Thermal Scope](#)

[Tube Thermal Scope](#)

[Dual spectrum thermal imager](#)

[online monitoring thermal camera](#)

MODULES

[Micro III Thermal Imaging Module](#)

[Mini Thermal Imaging Module](#)

[LT Temperature Measurement Module](#)

[FT Alarming Thermal Imaging Module](#)

[Phoenix Cooled MWIR Imaging Module](#)

APPLICATIONS

[Infrared Thermography](#)

[Security Thermal Camera](#)

[Night Vision](#)

[UAV Thermal Module](#)

[Smart Phone](#)

[Automotive Thermal Camera](#)

Follow Us :





Yantai iRay Technology Co., Ltd. Copyright © 2014-2018 all rights reserved | [Privacy Policy](#) | [鲁 ICP 备 18043449 号-3](#)